

APPLE INSECTICIDES

This sheet lists some products used to control insects on apple trees. The health symptoms listed may be caused by things other than pesticides. If you feel sick after exposure to pesticides, contact a doctor or clinic.



Year 2002

Pesticide (Brand Name) highly toxic	Product Use Changes Read the Label DO NOT ENTER TREATED AREAS FOR: Reentry intervals will vary by product	Common Symptoms of Acute Insecticide Poisoning
Azinphosmethyl (Guthion)	2 Days (mimimum contact) 3 Days if less than 25 in. rain 14 Days (thin, harvest)	
Carbaryl (Sevin)	1/2 Day 12 hours	VISION STOMACH PROBLEMS ACHE
Chlorpyrifos (Lorsban)	4 Days	
Dimethoate (Cygon)	2 Days	VOMITING PROBLEMS WEAKNESS
Endosulfan (Thiodan)	1 Day	
Esfenvalerate (Asana)	1 Day	DIZZINESS SWEATING
Oxamyl (Vydate)	2 Days	NOSE, EAR,
Phosmet (Imidan)	3 Days	OR THROAT SKIN IRRITATION

If you are exposed to a pesticide spray or drift:

Leave the area



Tell your employer



Immediately wash exposed skin with soap and lots of water




If you get pesticides in your eyes, rinse with clean water for 15 minutes

Change into clean clothes, wash work clothes separately from other clothes



WSDA: Toll Free **1-877-301-4555** L&I Toll Free **1-800-423-7233**



Leave the area



Tell your employer you feel sick



Go to a doctor or clinic



Have someone go with you

Tell doctor the pesticide name. Your employer must provide this information





Emergency Pesticide Information:
WA Poison Control Center 1-800-222-1222
Pesticide Related Health Concerns:
DOH (Olympia) 360-236-3360